NSN 5340-01-514-0523

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-514-0523
Thread Class:
2b left internal (includes through thread)
Thread Direction:
Right-hand right external
Thread Length:
0.188 inches right external
Length:
1.000 inches
End Application:
Itanumber7
Cross-sectional Shape:
Hexagon
Width Across Flats:
0.188 inches
Thready Qty Per Inch (tpi):
40 right external
Thread Size:
0.138 inches left internal (includes through thread)
Right Projection Diameter:
0.188 inches
Right Projection Length:
0.188 inches
Special Features:
Manufacturers drawing name is m/f standoffs 3/16 hex aluminum; items dia. Is 0.188 in.; body length has no threads 0.032 in. On external
threaded end; finish is clear anodized
Material:
Aluminum alloy 2011 standoff or aluminum alloy 2024 standoff or aluminum alloy 6061 standoff or aluminum alloy 6063 standoff
Material Specification:
Qq-a-225/3 federal specification single material response standoff or qq-a-225/6 federal specification 2nd material response standoff or
qq-a-225/8 federal specification 3rd material response standoff or qq-a-200/9 federal specification 4th material response standoff
Surface Treatment:
Anodize standoff
Surface Treatment Specification:
Mil-a-8625, type2 military specification single treatment response standoff
Style Designator:
Left internal and right external thread
Thread Series Designator:
Unc right external
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5340-01-514-0523

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900

Mil-std (military Standard):

Mil-a-8625 spec.