## NSN 5340-01-514-6966

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-514-6966

Maria de la la Trans
Mounting Hole Type:  Plain
First Leg Length: 2.120 inches
Second Leg Length:
2.120 inches
Second Leg Width:
1.620 inches
First Leg Hole Diameter:
0.560 inches
Second Leg Hole Diameter:
0.560 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.810 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.810 inches
First Leg Thickness:
0.250 inches
Second Leg Thickness:
0.250 inches
Center Section Height:
1.620 inches
Center Section Width:
1.620 inches
Center Section Thickness:
0.250 inches
First Leg Width:
1.620 inches
First Leg Distance From Edge To Hole Center Along Width:
0.810 inches
First Leg Distance From Edge To Hole Center Along Length:
1.060 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical

## **NSN 5340-01-514-6966**Double Angle Bracket - Page 2 of 2



Product Name:
Fitting, z shape
Special Features:
Deburr holes and break sharp edges
Material:
Aluminum
Material Specification:
5052-h32 federal specification 1st material response
Surface Treatment:
Aluminum alloy
Surface Treatment Specification:
Mil-c-5541 military specification 1st treatment response and mil-p-53022 military specification 2nd treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-5541 spec.