

View Online at <https://aerobasegroup.com/nsn/5340-01-515-4173>

**First Leg Length:**

1.720 inches

**Second Leg Length:**

1.720 inches

**Second Leg Width:**

4.000 inches

**First Leg Hole Diameter:**

0.688 inches

**First Leg Thickness:**

0.190 inches

**Second Leg Thickness:**

0.190 inches

**Center Section Height:**

3.630 inches

**Center Section Width:**

4.000 inches

**Center Section Thickness:**

0.190 inches

**First Leg Width:**

4.000 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

1.120 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

1.120 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.880 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Side radius

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.380 radians

**Second Leg Angle:**

0.380 radians

**Product Name:**

Bracket, lower, ground rod

**Special Features:**

Range of motion 90 degree lh or rh stopped and detained

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11 federal specification 1st material response

**Surface Treatment:**

Primer

**Surface Treatment Specification:**

Mil-o-53022 military specification 1st treatment response and mil-c-22750 military specification 2nd treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-o-53022 spec.