

View Online at <https://aerobasegroup.com/nsn/5340-01-515-4201>

**First Leg Length:**

1.000 inches

**Second Leg Length:**

1.000 inches

**Second Leg Width:**

1.000 inches

**First Leg Hole Diameter:**

Between 0.250 inches and 0.256 inches

**Second Leg Hole Diameter:**

Between 0.129 inches and 0.133 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.440 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.00 degrees

**Product Name:**

Bracket, angle

**Material:**

Aluminum alloy 5052

**Material Specification:**

Astm b209 assn standard single material response

**Surface Treatment Specification:**

Mil-c-5541 class 1a military specification 1st treatment response and mil-p-53022 military specification 2nd treatment response and mil-c-22750 military specification 3rd treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.