

View Online at <https://aerobasegroup.com/nsn/5340-01-516-9746>

**Thread Class:**

2b flange hole

**Thread Direction:**

Right-hand flange hole

**Thread Length:**

1.630 inches left internal (includes through thread)

**Flange Thickness:**

Between 0.250 inches and 0.350 inches

**Length:**

Between 1.380 inches and 1.390 inches

**Corner Radius:**

0.020 inches

**Cross-sectional Length:**

1.630 inches

**Cross-sectional Width:**

2.000 inches

**Flange Width Across Flats:**

1.800 inches

**End Application:**

Tow point release

**Cross-sectional Shape:**

Elliptical

**Width Across Flats:**

1.800 inches

**Thready Qty Per Inch (tpi):**

20 flange hole

**Thread Size:**

0.250 inches flange hole

**Special Features:**

Standoff pin, lever tow point

**Material:**

Titanium alloy uns r56400

**Material Specification:**

Mil-t-9047, t1-6al-4v (eli), condition a military specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Ams 2488c assn standard single treatment response or mis 23545, type 2 military specification single treatment response

**Style Designator:**

Flanged left internal thread

**Thread Series Designator:**

Unc flange hole

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08900

**Mil-std (military Standard):**

Mil-t-9047 spec.