

View Online at <https://aerobasegroup.com/nsn/5340-01-519-4268>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.250 inches

**Second Leg Length:**

1.750 inches

**End Application:**

Bracket, signal lamp

**Second Leg Width:**

2.000 inches

**Second Leg End Width:**

1.000 inches

**First Leg Hole Diameter:**

0.144 inches

**Second Leg Hole Diameter:**

Between 1.312 inches and 1.317 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.344 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.219 inches

**First Leg Thickness:**

0.380 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

2.000 inches

**First Leg Distance Between Hole Centers Along Width:**

1.200 inches

**First Leg Distance Between Hole Centers Along Length:**

0.400 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.400 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.700 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Four holes

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

See drawing for specifications

**Material:**

Aluminum alloy 6061

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2, class 2, black military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.