NSN 5340-01-520-9085

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-520-9085

Mounting Hole Type:
Plain
First Leg Length:
5.720 inches
Second Leg Length:
1.940 inches
End Application:
Operting gear
Second Leg Width:
0.620 inches
First Leg Hole Diameter:
0.250 inches
Second Leg Hole Diameter:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.310 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.400 inches
Second Leg Distance Between First And Second Hole Centers Along Length:
2.240 inches
Second Leg Distance Between Second And Third Hole Centers Along Length:
2.240 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
3.850 inches
Center Section Width:
0.620 inches
Center Section Thickness:
0.125 inches
First Leg Width:
0.620 inches
First Leg Distance From Edge To Hole Center Along Width:
0.310 inches
First Leg Distance From Edge To Hole Center Along Length:
0.690 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole

NSN 5340-01-520-9085

Double Angle Bracket - Page 2 of 2



Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
175.0 degrees
Second Leg Angle:
110.0 degrees
Special Features:
Barea between legs has two mounting holes spaced 2.000 inches apart beginning at a position 1.290 inches from 110 degree angle (off c
irst leg); for use on generator exhaust louver installation
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11 military specification single material response
Surface Treatment:
Anodize and primer epoxy and plastic epoxy
Surface Treatment Specification:
Damil-a-8625ty2cl1 military specification 1st treatment response and mil-p-23377 military specification 2nd treatment response and
mil-c-22750 military specification 3rd treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A042a0
Mil-std (military Standard):
spec.