

View Online at <https://aerobasegroup.com/nsn/5340-01-522-9305>

Mounting Hole Type:

Plain

First Leg Length:

2.000 inches

Second Leg Length:

1.435 inches

End Application:

Whistle contr

Second Leg Width:

1.800 inches

First Leg Hole Diameter:

Between 0.468 inches and 0.469 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.400 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.628 inches

First Leg Thickness:

0.370 inches

Second Leg Thickness:

0.370 inches

First Leg Width:

1.800 inches

First Leg Distance From Edge To Hole Center Along Width:

0.880 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg End Radius:

0.500 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Stainless steel

Material Specification:

Ams 5604 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Astm a967 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0