

View Online at <https://aerobasegroup.com/nsn/5340-01-523-3049>

Mounting Hole Type:

Plain

First Leg Length:

4.000 inches

Second Leg Length:

6.000 inches

End Application:

Apg 65 otps

Second Leg Width:

15.500 inches

First Leg Hole Diameter:

0.219 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 1.098 inches and 2.860 inches

Second Leg Distance From Edge To Hole Center Along Length:

2.975 inches

Second Leg Slot Length:

4.150 inches

Second Leg Slot Width:

Between 0.310 inches and 0.620 inches

Second Leg Distance Between Third And Fourth Hole Centers Along Width:

3.792 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

First Leg Width:

15.500 inches

First Leg Distance Between Hole Centers Along Width:

Between 6.750 inches and 7.250 inches

First Leg Distance Between Hole Centers Along Length:

2.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

5 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Err Default:

Err default

Product Name:

Chassis detail, test fixture - sra

Special Features:

Second leg has 14 mounting holes with 0.144 in dia., 1 mounting hole with 0.250 in. Dia.; first leg has 6 mounting holes with 0.219 in. Dia.

Material:

Aluminum

Surface Treatment:

Paint

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0