NSN 5340-01-524-2944

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-524-2944

First Leg Length:

Between 1.970 inches and 2.030 inches

Second Leg Length:

Between 1.970 inches and 2.030 inches

End Application:

ENDI-TE-MNS-N:23

Second Leg Width:

Between 4.720 inches and 4.780 inches

First Leg Hole Diameter:

Between 0.357 inches and 0.365 inches

Second Leg Hole Diameter:

Between 0.357 inches and 0.365 inches

Second Leg Distance Between Hole Centers Along Width:

Between 1.984 inches and 2.016 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 1.350 inches and 1.410 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.970 inches and 1.030 inches

First Leg Thickness:

Between 0.220 inches and 0.280 inches

Second Leg Thickness:

Between 0.220 inches and 0.280 inches

First Leg Width:

Between 4.720 inches and 4.780 inches

First Leg Distance Between Hole Centers Along Width:

Between 3.859 inches and 3.891 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.410 inches and 0.470 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.970 inches and 1.030 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

NSN 5340-01-524-2944

Angle Bracket - Page 2 of 2



Fiig: A042a0