

View Online at <https://aerobasegroup.com/nsn/5340-01-524-3390>

First Leg Length:

7.250 inches

Second Leg Length:

2.750 inches

End Application:

ENDI-TE-MNS-N:23

Second Leg Width:

1.500 inches

First Leg Slot Length:

0.405 inches

First Leg Slot Width:

1.030 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.940 inches

Second Leg Slot Length:

0.405 inches

Second Leg Slot Width:

1.030 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

For optional material application and specifications, see dwg.

Material:

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

H321.Astm b209 assn standard 1st material response or h111 or h112.Astm b221 assn standard 1st material response or h32 or h116.Astm b209 assn standard 2nd material response or h111 or h112.Astm b221 assn standard 2nd material response

Surface Treatment:

Enamel

Surface Treatment Specification:

Per dwg 19207-12369001 mfr ref all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0