

View Online at <https://aerobasegroup.com/nsn/5340-01-526-6192>

End Application:

Generator, electrical power

First Leg Slot Width:

0.800 inches

First Leg Thickness:

0.390 inches

Second Leg Thickness:

0.390 inches

Center Section Height:

5.500 inches

Center Section Width:

17.000 inches

Center Section Thickness:

0.390 inches

First Leg Distance From Edge To Hole Center Along Length:

1.600 inches

First Leg Distance Between First And Second Hole Centers Along Length:

5.050 inches

First Leg Hole Arrangement Style:

3 slots

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Lifting bracket, left

Special Features:

First leg is rectangular with 1 notch and 3 slots; center section has 90 degree lines at one end, angles at opposite end; second leg is triangular in shape with one off-center hole.

Material:

Steel

Material Specification:

Astm a36 assn standard single material response

Surface Treatment:

Primer

Surface Treatment Specification:

Mil-p-53030 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-p-53030 spec.