## NSN 5340-01-527-1986

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-527-1986

**Thread Class:** 

2b left internal (includes through thread)

**Thread Direction:** 

Right-hand left external

Thread Length:

0.188 inches left external

**Hole Diameter:** 

Between 0.148 inches and 0.153 inches

Length:

Between 0.183 inches and 0.193 inches

**Cross-sectional Length:** 

Between 0.183 inches and 0.193 inches

**Cross-sectional Width:** 

Between 0.100 inches and 0.110 inches

**Cross-sectional Shape:** 

Rectangular

Thready Qty Per Inch (tpi):

32 left internal (includes through thread)

**Thread Size:** 

0.250 inches left internal (includes through thread)

**Right Projection Diameter:** 

0.177 inches

**Right Projection Length:** 

Between 0.177 inches and 0.188 inches

Material:

Stainless steel

**Material Specification:** 

Astm a582 assn standard single material response

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

**Style Designator:** 

Projection one end left internal thread

**Thread Series Designator:** 

Unc left internal (includes through thread)

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

## NSN 5340-01-527-1986

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900