

View Online at <https://aerobasegroup.com/nsn/5340-01-535-6559>

First Leg Length:

39.0 millimeters

Second Leg Length:

165.0 millimeters

End Application:

ENDI-TE-MNS-N:23

Second Leg Width:

134.0 millimeters

Second Leg End Width:

13.0 millimeters

First Leg Hole Diameter:

9.4 millimeters

First Leg Thickness:

Between 4.1 millimeters and 4.5 millimeters

Second Leg Thickness:

Between 4.1 millimeters and 4.5 millimeters

First Leg Width:

134.0 millimeters

First Leg Distance Between Hole Centers Along Width:

100.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

15.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

17.0 millimeters

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bracket, hydraulic control valve

Special Features:

For size and placement of 3 holes on second leg, see dwg.

Material:

Steel comp 1008 or steel comp 1011

Material Specification:

A1008, grade 45 min. Assn standard 1st material response or a1011, grade 45 min. Assn standard 2nd material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0