NSN 5340-01-581-3292



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-581-3292 First Leg Length: 25.4 millimeters Second Leg Length: 66.0 millimeters **End Application:** LAVC-2A-2;2-3550 Second Leg Width: 22.8 millimeters **Second Leg Corner Radius:** 2.5 millimeters First Leg Hole Diameter: 9.4 millimeters Second Leg Hole Diameter: 0.250 inches Second Leg Distance Between Hole Centers Along Length: 38.1 millimeters Second Leg Distance From Edge To Hole Center Along Width: 11.4 millimeters Second Leg Distance From Edge To Hole Center Along Length: 7.6 millimeters First Leg Thickness: 22.8 millimeters Second Leg Thickness: 15.2 millimeters First Leg Width: 25.4 millimeters First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length:

15.2 millimeters 10.1 millimeters First Leg Side Radius: 10.1 millimeters First Leg Style: Side radius First Leg Hole Arrangement Style: One hole Second Leg Style: Corner radius

Two holes

Second Leg Relationship To First Leg:

Second Leg Hole Arrangement Style:

Not identical

NSN 5340-01-581-3292

Angle Bracket - Page 2 of 2



First Leg Angle:
6.3 radians
Product Name:
Laptop tray pivot mount assembly
Special Features:
$Includes \ shaft \ p/n \ 03002a1112-002 \ and \ 2 \ inserts, \ screw \ locking, \ helicoil, \ cres \ 0.250-28 \ x \ 1 \ diameter \ and \ 1 \ laptop \ tray \ pivot \ mount \ p/n \ diameter \ and \ 2 \ laptop \ tray \ pivot \ mount \ p/n \ diameter \ and \ 2 \ laptop \ lap$
03002a1112-001; drawing distribution statement c; export controlled
Material:
Aluminum alloy 6061 and steel comp 303
Material Specification:
Astm b209.6061-t6 national std/spec all material responses
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
A042a0