

View Online at <https://aerobasegroup.com/nsn/5340-01-591-3256>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 56.2 millimeters and 58.2 millimeters

**Second Leg Length:**

Between 87.9 millimeters and 89.9 millimeters

**End Application:**

Howitzer, 155mm, m777e1

**Second Leg Width:**

75.2 major mils and 77.2 major centimeters

**Second Leg Corner Radius:**

Between 11.7 millimeters and 13.7 millimeters

**First Leg Hole Diameter:**

6.8 major mils and 7.2 major centimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

38.1 major inches

**Second Leg Distance From Edge To Hole Center Along Length:**

57.1 millimeters

**Second Leg Slot Length:**

Between 32.0 millimeters and 32.2 millimeters

**Second Leg Slot Width:**

Between 30.4 millimeters and 30.7 millimeters

**First Leg Thickness:**

Between 2.9 millimeters and 3.5 millimeters

**Second Leg Thickness:**

Between 2.9 millimeters and 3.5 millimeters

**First Leg Width:**

Between 170.5 millimeters and 172.5 millimeters

**First Leg Corner Radius:**

Between 5.4 millimeters and 7.4 millimeters

**First Leg Distance Between Hole Centers Along Width:**

109.2 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

31.1 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

38.1 millimeters

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 5.4 degrees and 7.4 degrees

**Product Name:**

Bracket, connector w2j1

**Material:**

Stainless steel

**Material Specification:**

Astm a693, stainless steel type 630 assn standard single material response or ams 5528, stainless steel, type 17-7 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0