## NSN 5340-01-597-1509

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-597-1509

T	h	re	а	d	CI	las	s:

2a left internal (includes through thread)

**Thread Direction:** 

Right-hand left internal (includes through thread)

Thread Length:

0.240 inches and 0.260 inches left internal (includes through thread)

Length:

Between 0.360 inches and 0.390 inches

**End Application:** 

Rt-1700/bps-1

**Cross-sectional Shape:** 

Hexagon

Width Across Flats:

Between 0.182 inches and 0.192 inches

Thready Qty Per Inch (tpi):

40 left internal (includes through thread)

**Thread Size:** 

0.112 inches left internal (includes through thread)

**Right Projection Diameter:** 

Between 0.106 inches and 0.111 inches

**Right Projection Length:** 

0.745 inches

**Special Features:** 

length is 1.120 inches (nom)

Material:

Stainless steel

**Material Specification:** 

Astm a582 assn standard single material response

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Sai ams-qq-p-35a assn standard single treatment response

**Style Designator:** 

Projection one end left internal thread

**Thread Series Designator:** 

Unc left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

## NSN 5340-01-597-1509

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900