NSN 5340-01-603-1429

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-603-1429

Thread Direction:

Right-hand right external

Thread Length:

6.0 millimeters left internal (includes through thread)

Length:

23.5 millimeters

End Application:

B4041268-1

Cross-sectional Shape:

Hexagon

Width Across Flats:

6.35 millimeters

Thread Pitch In Millimeters:

3.0 right external

Thread Tolerance Class:

6h internal left internal (includes through thread)

Product Name:

Post, electrical - mechanical equipment

Left Projection Diameter:

5.0 millimeters

Left Projection Length:

5.0 millimeters

Right Projection Diameter:

Between 2.8 millimeters and 3.0 millimeters

Right Projection Length:

6.25 millimeters

Special Features:

Material cres type 303 per astm a582; finish passivate per astm; threads to be in accordance with fed-std-h28; dimensioning and tolerancing in accordance with asme y14.5m

Material:

Steel comp 303

Surface Treatment:

Passivate

Style Designator:

Left internal and right external thread

Thread Series Designator:

Iso m left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5340-01-603-1429

Spacing Threaded Standoff - Page 2 of 2

Fiig: A08900

