NSN 5340-01-604-6657

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-604-6657

Thread Class:

2g left internal (includes through thread)

Thread Direction:

Right-hand left internal (includes through thread)

Thread Length:

1.329 inches and 1.359 inches left internal (includes through thread)

Length:

Between 0.11 inches and 0.14 inches

Cross-sectional Length:

Between 1.329 inches and 1.359 inches

Cross-sectional Width:

Between 0.735 inches and 0.765 inches

End Application:

Ea-6b

Cross-sectional Shape:

Rectangular

Thready Qty Per Inch (tpi):

10 left internal (includes through thread)

Err Default:

Err default

Thread Size:

0.50 inches left internal (includes through thread)

Product Name:

Nut plate - jack screw, ara connector

Left Projection Diameter:

Between 0.621 inches and 0.624 inches

Left Projection Length:

Between 0.567 inches and 0.573 inches

Right Projection Diameter:

Between 0.735 inches and 0.765 inches

Right Projection Length:

0.649 inches

Left End Chamfer Angle:

Between 44.5 degrees and 45.5 degrees

Right End Chamfer Angle:

Between 44.5 degrees and 45.5 degrees

Special Features:

Flange holes are 0.140 to 0.152 inches dia. Center to center hole distance is 0.92 along the length and 0.48 along the width. The flange is 1.188 inches long

Material:

Copper alloy

Material Specification:

Qq-b-679 federal specification single material response

NSN 5340-01-604-6657

Spacing Threaded Standoff - Page 2 of 2



Style Designator:
Projection both ends
Thread Series Designator:
Acme left internal (includes through thread)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A08900