NSN 5340-01-605-3561

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-605-3561

Thread Class:

3b left internal (includes through thread)

Thread Direction:

Right-hand left internal (includes through thread)

Flange Diameter:

1.250 inches

Flange Thickness:

0.100 inches

Length:

0.462 inches

Cross-sectional Length:

2.000 inches

Cross-sectional Width:

0.900 inches

End Application:

Rq-4a

Cross-sectional Shape:

Rectangular

Thready Qty Per Inch (tpi):

32 left internal (includes through thread)

Thread Size:

0.1900 inches left internal (includes through thread)

Product Name:

Standoff, locking thread, adhesive bonded

Material:

Steel comp 302 and steel comp 303 and steel comp 304

Material Specification:

Ams5513 assn standard single material response and ams5516 assn standard single material response and ams5636 assn standard single material response and ams5637 assn standard single material response and ams5638 assn standard single material response and ams5639 assn standard single material response and ams5640 assn standard single material response and ams5641 assn standard single material response and ams5647 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal standard single treatment response

Style Designator:

Flanged left internal thread

Thread Series Designator:

Unf left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

- ---
- Demilitarization:

NSN 5340-01-605-3561

Spacing Threaded Standoff - Page 2 of 2

Fiig: A08900

