

View Online at <https://aerobasegroup.com/nsn/5340-01-607-6816>

Material Thickness:

0.1196 inches

First Leg Length:

Between 2.44 inches and 2.56 inches

Second Leg Length:

Between 4.875 inches and 5.125 inches

End Application:

2350-01-390-4683

Second Leg Width:

Between 4.375 inches and 4.625 inches

Second Leg Corner Radius:

Between 0.220 inches and 0.280 inches

First Leg Hole Diameter:

Between 1.005 inches and 1.015 inches

Second Leg Hole Diameter:

Between 0.420 inches and 0.460 inches

Second Leg Distance Between Hole Centers Along Width:

1.449 inches

Second Leg Distance Between Hole Centers Along Length:

0.388 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.50 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.50 inches

First Leg Thickness:

0.1196 inches

Second Leg Thickness:

0.1196 inches

First Leg Width:

Between 2.44 inches and 2.56 inches

First Leg Corner Radius:

Between 0.220 inches and 0.280 inches

First Leg Distance From Edge To Hole Center Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Length:

1.500 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Hole Quantity:

3

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bracket, mount connector

Material:

Steel

Material Specification:

Astm a1011, 11 gauge assn standard single material response or astm a1008/a1008m, 11 gauge assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0