## NSN 5340-01-608-5163



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-608-5163 **Material Thickness:** 0.125 inches First Leg Length: 2.50 inches Second Leg Length: 4.25 inches **End Application:** 7010-01-600-2130 Second Leg Width: 1.75 inches Second Leg Corner Radius: 0.13 inches First Leg Hole Diameter: 0.203 inches **Second Leg Hole Diameter:** 0.203 inches Second Leg Distance Between Hole Centers Along Length: 1.00 inches Second Leg Distance From Edge To Hole Center Along Width: 0.88 inches Second Leg Distance From Edge To Hole Center Along Length: 0.50 inches First Leg Thickness: 0.125 inches **Second Leg Thickness:** 0.125 inches First Leg Width: 1.75 inches First Leg Corner Radius: 0.13 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 0.50 inches First Leg Style: Corner radius First Leg Hole Arrangement Style: One hole

Second Leg Style:

Corner radius

**Second Leg Hole Arrangement Style:** 

Two holes

## **NSN 5340-01-608-5163** Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
0.13 radians
Product Name:
Dagr remote antenna bracket
Special Features:
Color is tan 686
Material:
Aluminum alloy 5052
Material Specification:
Sae-ams-qq-a-250/8 national std/spec single material response
Surface Treatment:
Primer epoxy
Surface Treatment Specification:
Mil-c-46168 military specification single treatment response and mil-dtl-14072 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Yes - demil/mli
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-46168 spec.