## NSN 5340-01-611-6942

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-611-6942

**Mounting Hole Type:** 

Plain

First Leg Length:

Between 1.565 inches and 1.595 inches

Second Leg Length:

Between 1.565 inches and 1.595 inches

**End Application:** 

5340-01-487-7760

Second Leg Width:

Between 41.985 inches and 42.015 inches

First Leg Hole Diameter:

Between 0.266 inches and 0.296 inches

Second Leg Hole Diameter:

Between 0.235 inches and 0.265 inches

First Leg Thickness:

Between 0.150 inches and 0.210 inches

Second Leg Thickness:

Between 0.150 inches and 0.210 inches

**Center Section Height:** 

Between 3.985 inches and 4.015 inches

**Center Section Width:** 

Between 41.985 inches and 42.015 inches

**Center Section Thickness:** 

Between 0.150 inches and 0.210 inches

First Leg Width:

Between 41.985 inches and 42.015 inches

First Leg Distance Between Hole Centers Along Width:

40.000 inches

First Leg Distance Between First And Second Hole Centers Along Width:

Between 12.985 inches and 13.015 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

Between 13.985 inches and 14.015 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.985 inches and 1.015 inches

First Leg Distance From Edge To Hole Center Along Length:

0.33 inches

First Leg Style:

Extended flat

First Leg Hole Arrangement Style:

Four holes

**Hole Quantity:** 

10

## NSN 5340-01-611-6942

Double Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Product Name:
C-channel
Special Features:
The first hole along the second leg has a diameter of 0.218 inches. The item is painted green 383 chip number 34094 per mil-std-595
Material:
Aluminum alloy 6061
Surface Treatment:
Paint
Surface Treatment Specification:
Mil-c-53072 military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-53072 spec.