## NSN 5340-01-612-5424

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-612-5424

First Leg Length:

Between 2.22 inches and 2.28 inches

Second Leg Length:

Between 2.16 inches and 2.22 inches

**End Application:** 

2310-01-595-3986

Second Leg Width:

0.875 inches

First Leg Hole Diameter:

Between 0.203 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.405 inches and 0.415 inches

Second Leg Distance Between Hole Centers Along Length:

1.297 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.875 inches

**Second Leg Distance From Edge To Hole Center Along Length:** 

0.424 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

0.875 inches

First Leg Corner Radius:

0.38 inches

First Leg Distance Between Hole Centers Along Width:

1.188 inches

First Leg Distance Between Hole Centers Along Length:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.281 inches

First Leg Distance From Edge To Hole Center Along Length:

0.40 inches

Second Leg End Radius:

0.88 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

End radius

## **NSN 5340-01-612-5424** Angle Bracket - Page 2 of 2



Second Leg Hole Arrangement Style:
Two holes
Hole Quantity:
6
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
0.19 radians
Product Name:
Guide, rod
Special Features:
Finish per drawing 12469123
Material:
Steel
Material Specification:
Astm a569 assn standard single material response or astm a366 assn standard single material response or astm a109 assn standard single
material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A042a0