

View Online at <https://aerobasegroup.com/nsn/5340-01-612-5424>

First Leg Length:

Between 2.22 inches and 2.28 inches

Second Leg Length:

Between 2.16 inches and 2.22 inches

End Application:

2310-01-595-3986

Second Leg Width:

0.875 inches

First Leg Hole Diameter:

Between 0.203 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.405 inches and 0.415 inches

Second Leg Distance Between Hole Centers Along Length:

1.297 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.875 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.424 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

0.875 inches

First Leg Corner Radius:

0.38 inches

First Leg Distance Between Hole Centers Along Width:

1.188 inches

First Leg Distance Between Hole Centers Along Length:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.281 inches

First Leg Distance From Edge To Hole Center Along Length:

0.40 inches

Second Leg End Radius:

0.88 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Hole Quantity:

6

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.19 radians

Product Name:

Guide, rod

Special Features:

Finish per drawing 12469123

Material:

Steel

Material Specification:

Astm a569 assn standard single material response or astm a366 assn standard single material response or astm a109 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0