

View Online at <https://aerobasegroup.com/nsn/5340-01-612-8809>

**Mounting Hole Type:**

Threaded and plain

**First Leg Length:**

4.603 inches

**Second Leg Length:**

3.250 inches

**End Application:**

FULL-TR-ACK-EDRE

**Second Leg Width:**

2.500 inches

**Second Leg Corner Radius:**

0.250 inches

**First Leg Hole Diameter:**

0.250 inches

**Second Leg Hole Diameter:**

0.440 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.625 inches

**First Leg Thickness:**

0.375 inches

**Second Leg Thickness:**

0.375 inches

**First Leg Width:**

2.125 inches

**First Leg Distance Between Hole Centers Along Width:**

2.980 inches

**First Leg Distance Between Hole Centers Along Length:**

1.670 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Style:**

Angle

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Offset Angle:**

33.0 degrees

**Product Name:**

Bracket, sensor, right, forward

**Special Features:**

Threaded holes are on leg 1 and are 0.250-28 unf-2b in size

**Material:**

Steel

**Material Specification:**

Astm a 108, gr 1018-1025 assn standard single material response or astm a 36 assn standard single material response

**Style Designator:**

Offset angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0