NSN 5340-01-616-7207

Flush Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-616-7207

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.425 inches
Fastener Length:
Between 0.848 inches and 0.878 inches
Head Style:
Oval countersunk undercut
Head Diameter:
Between 0.464 inches and 0.506 inches
Head Height:
0.111 inches
Grip Diameter:
Between 0.2490 inches and 0.2495 inches
Internal Drive Style:
Offset cruciform (torque set)
Thread Diameter:
0.250 inches
Grip Length:
Between 0.428 inches and 0.448 inches
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Material:
Titanium alloy uns r56400
Material Specification:
Ams4928 assn standard single material response and ams4967 assn standard single material response
Surface Treatment:
Aluminum
Thread Series Designator:
Unjf
Specification Data:
80205-nas1790 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

NSN 5340-01-616-7207

Flush Bolt - Page 2 of 2

Demilitarization:

No

Fiig:

A10600

