

View Online at <https://aerobasegroup.com/nsn/5340-01-619-3231>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.120 inches

**Second Leg Length:**

0.900 inches

**End Application:**

C-5m; o-level electrical package

**Second Leg Width:**

1.000 inches

**Second Leg End Width:**

1.000 inches

**First Leg Hole Diameter:**

0.131 inches

**Second Leg Hole Diameter:**

0.230 inches

**First Leg Thickness:**

0.025 inches

**Second Leg Thickness:**

0.025 inches

**First Leg Corner Radius:**

0.310 inches

**First Leg Distance Between Lower Hole Centers Along Width:**

1.400 inches

**First Leg Distance Between Hole Centers Along Length:**

0.260 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.700 inches

**First Leg Style:**

Radius foot

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Corner radius

**Hole Quantity:**

3

**Second Leg Relationship To First Leg:**

Not identical

**Product Name:**

Bracket - angle

**Material:**

Titanium alloy uns r56400

**Material Specification:**

Ams 4911 assn standard single material response

**Surface Treatment:**

Primer epoxy

**Surface Treatment Specification:**

Mil-prf-85582, type i, class 2 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-prf-85582 spec.