## NSN 5340-01-620-5384

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-620-5384 **Thread Class:** 3b left internal (includes through thread) **Thread Direction:** Right-hand left internal (includes through thread) Flange Thickness: 0.100 inches Length: Between 1.130 inches and 1.170 inches **Cross-sectional Length:** 2.000 inches **Cross-sectional Width:** 0.900 inches Flange Width Across Flats: 1.250 inches **End Application:** 1520-01-599-2203 **Cross-sectional Shape:** Rectangular Thready Qty Per Inch (tpi): 32 left internal (includes through thread) **Thread Size:** 0.1900 inches left internal (includes through thread) **Product Name:** Standoff, locking thread, adhesive bonded Material: Stainless steel **Material Specification:** Ams 5513 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Style Designator:** Flanged **Thread Series Designator:** Unf left internal (includes through thread) Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5340-01-620-5384

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900