

View Online at <https://aerobasegroup.com/nsn/5340-01-620-8068>

**Thread Class:**

3b left internal (includes through thread)

**Thread Direction:**

Right-hand left internal (includes through thread)

**Thread Length:**

0.472 inches left internal (includes through thread)

**Flange Diameter:**

1.250 inches

**Flange Thickness:**

0.100 inches

**Diameter:**

0.310 inches

**Length:**

Between 0.692 inches and 0.732 inches

**End Application:**

1520-01-599-2203

**Cross-sectional Shape:**

Round

**Thready Qty Per Inch (tpi):**

32 left internal (includes through thread)

**Thread Size:**

0.1900 inches left internal (includes through thread)

**Product Name:**

Standoff, locking thread, adhesive bonded

**Material:**

Aluminum alloy 2024 or aluminum alloy 6061

**Material Specification:**

Astm b 221, qq-a-225 assn standard single material response or astm b 221, qq-a-250 assn standard single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Flanged left internal thread

**Thread Series Designator:**

Unf left internal (includes through thread)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A08900

**Mil-std (military Standard):**

Mil-a-8625 spec.