

View Online at <https://aerobasegroup.com/nsn/5340-01-625-7739>

**Thread Class:**

3b left internal (includes through thread)

**Thread Direction:**

Right-hand left internal (includes through thread)

**Thread Length:**

0.400 inches left internal (includes through thread)

**Flange Diameter:**

Between 1.22 inches and 1.28 inches

**Flange Thickness:**

0.100 inches

**Length:**

0.400 inches

**End Application:**

1520-01-617-0928

**Thready Qty Per Inch (tpi):**

32 left internal (includes through thread)

**Thread Size:**

0.1900 inches left internal (includes through thread)

**Product Name:**

Standoff, locking thread, adhesive bonded

**Special Features:**

Item comes with a disposable pressure sensitive adhesive fixture that holds the standoff while the adhesive cures.

**Material:**

Aluminum alloy 2024 or aluminum alloy 6061

**Material Specification:**

Astm b221 assn standard single material response or qq-a-225 federal specification single material response or qq-a-250 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Flanged left internal thread

**Thread Series Designator:**

Unf left internal (includes through thread)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08900

**Mil-std (military Standard):**

Mil-a-8625 spec.