

View Online at <https://aerobasegroup.com/nsn/5340-01-628-4012>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.69 inches and 0.81 inches

Second Leg Length:

Between 0.75 inches and 0.87 inches

End Application:

4910-01-539-6129

Second Leg Width:

Between 8.00 inches and 8.12 inches

First Leg Hole Diameter:

Between 0.19 inches and 0.31 inches

Second Leg Hole Diameter:

Between 0.14 inches and 0.26 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.32 inches and 0.44 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 1.00 inches and 1.12 inches

Second Leg Distance Between First And Second Hole Centers Along Length:

3.00 inches

Second Leg Distance Between Second And Third Hole Centers Along Length:

3.00 inches

First Leg Thickness:

0.06 inches

Second Leg Thickness:

0.06 inches

Center Section Height:

Between 0.94 inches and 1.06 inches

Center Section Width:

Between 8.00 inches and 8.12 inches

Center Section Thickness:

0.06 inches

First Leg Width:

Between 6.50 inches and 6.62 inches

First Leg Distance From Edge To Hole Center Along Width:

0.37 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.69 inches and 0.81 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Three holes

Hole Quantity:

4

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 88.0 degrees and 92.0 degrees

Second Leg Angle:

Between 88.0 degrees and 92.0 degrees

Product Name:

Right angle plate outlet

Heat Treatment:

T-6 solution heat treated

Material:

Aluminum alloy 6061

Material Specification:

Astm b221 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0