

View Online at <https://aerobasegroup.com/nsn/5340-01-628-5585>

Mounting Hole Type:

Plain

First Leg Length:

1.50 inches

Second Leg Length:

1.50 inches

End Application:

4910-01-539-6129

Second Leg Width:

Between 2.32 inches and 2.44 inches

First Leg Hole Diameter:

Between 0.27 inches and 0.39 inches

Second Leg Hole Diameter:

Between 0.19 inches and 0.31 inches

Second Leg Distance Between Hole Centers Along Width:

1.88 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.19 inches and 0.31 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.69 inches and 0.81 inches

First Leg Thickness:

0.25 inches

Second Leg Thickness:

0.25 inches

First Leg Width:

Between 2.32 inches and 2.44 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 1.13 inches and 1.25 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.50 inches and 0.62 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Hole Quantity:

3

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Support arm pivot angle

Heat Treatment:

T-6 solution heat treated

Material:

Aluminum alloy 6061

Material Specification:

Astm b221 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0