

View Online at <https://aerobasegroup.com/nsn/5340-01-629-2804>

First Leg Length:

4.00 inches

Second Leg Length:

4.00 inches

End Application:

4910-01-539-6129

Second Leg Width:

Between 1.44 inches and 1.56 inches

First Leg Hole Diameter:

0.194 inches

Second Leg Hole Diameter:

0.386 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.69 inches and 0.81 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.44 inches and 0.56 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

First Leg Width:

Between 1.44 inches and 1.56 inches

First Leg Distance Between Hole Centers Along Length:

1.50 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.69 inches and 0.81 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.94 inches and 1.06 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Hole Quantity:

3

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bolster plate retention angle

Heat Treatment:

T-6 solution heat treated

Material:

Aluminum alloy 6061

Material Specification:

Astm b221 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0