

View Online at <https://aerobasegroup.com/nsn/5340-01-629-2804>

**First Leg Length:**

4.00 inches

**Second Leg Length:**

4.00 inches

**End Application:**

4910-01-539-6129

**Second Leg Width:**

Between 1.44 inches and 1.56 inches

**First Leg Hole Diameter:**

0.194 inches

**Second Leg Hole Diameter:**

0.386 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.69 inches and 0.81 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.44 inches and 0.56 inches

**First Leg Thickness:**

0.375 inches

**Second Leg Thickness:**

0.375 inches

**First Leg Width:**

Between 1.44 inches and 1.56 inches

**First Leg Distance Between Hole Centers Along Length:**

1.50 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.69 inches and 0.81 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.94 inches and 1.06 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Hole Quantity:**

3

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Product Name:**

Bolster plate retention angle

**Heat Treatment:**

T-6 solution heat treated

**Material:**

Aluminum alloy 6061

**Material Specification:**

Astm b221 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0