

View Online at <https://aerobasegroup.com/nsn/5340-01-629-6846>

**First Leg Length:**

Between 1.24 inches and 1.26 inches

**Second Leg Length:**

0.94 inches

**End Application:**

4210-01-627-0524

**Second Leg Width:**

3.5 inches

**Second Leg Hole Diameter:**

Between 0.12 inches and 0.14 inches

**Second Leg Distance Between Hole Centers Along Width:**

Between 2.74 inches and 2.76 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.38 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.35 inches

**First Leg Thickness:**

Between 0.18 inches and 0.20 inches

**Second Leg Thickness:**

Between 0.18 inches and 0.20 inches

**First Leg Width:**

3.5 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Hole Quantity:**

2

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Product Name:**

Restraint bracket

**Heat Treatment:**

T-6 solution heat treated

**Material:**

Aluminum alloy 6061

**Material Specification:**

Astm b221 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0