# NSN 5340-01-630-6849

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-630-6849

Mounting Hole Type:
First Leg Length:
1.25 inches
Second Leg Length:
1.25 inches
End Application:
4910-01-627-0524
Second Leg Width:
10.00 inches
Second Leg Hole Diameter:
0.257 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
4.00 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
4.00 inches
Second Leg Distance From Edge To Hole Center Along Width:
1.00 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.50 inches
First Leg Thickness:
0.10 inches
Second Leg Thickness:
0.10 inches
Center Section Width:
10.00 inches
Center Section Thickness:
0.10 inches
First Leg Width:
10.00 inches
First Leg Corner Radius:
0.25 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
No hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical

## NSN 5340-01-630-6849

Double Angle Bracket - Page 2 of 2



**Product Name:** 

Bracket, ladder

**Heat Treatment:** 

T-6 solution heat treated

Material:

Aluminum alloy 6061

### Material Specification:

Astm b221 assn standard single material response

### Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

### Fiig:

A042a0