

View Online at <https://aerobasegroup.com/nsn/5340-01-642-0681>

First Leg Length:

80.0 millimeters

Second Leg Length:

69.0 millimeters

End Application:

2355-01-587-2323

Second Leg Width:

135.0 millimeters

Second Leg Corner Radius:

6.35 millimeters

First Leg Slot Length:

32.0 millimeters

First Leg Slot Width:

13.5 millimeters

Second Leg Distance Between Hole Centers Along Width:

56.0 millimeters

Second Leg Distance Between Hole Centers Along Length:

92.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

39.5 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

23.0 millimeters

Second Leg Slot Length:

46.0 millimeters

Second Leg Slot Width:

28.0 millimeters

First Leg Thickness:

4.76 millimeters

Second Leg Thickness:

4.76 millimeters

Center Section Height:

45.5 millimeters

Center Section Width:

135.0 millimeters

Center Section Thickness:

4.76 millimeters

First Leg Width:

135.0 millimeters

First Leg Corner Radius:

90.0 millimeters

First Leg Distance Between Hole Centers Along Width:

56.0 millimeters

First Leg Distance Between Hole Centers Along Length:

56.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

39.5 millimeters

First Leg Distance From Edge To Hole Center Along Length:

23.0 millimeters

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

4 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Product Name:

Bracket, adapter

Material:

Steel

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0