NSN 5340-01-642-2784

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-642-2784

First Leg Length:

Between 34.2 millimeters and 35.8 millimeters

Second Leg Length:

Between 26.2 millimeters and 27.8 millimeters

End Application:

6115-01-561-7455

Second Leg Width:

Between 66.2 millimeters and 67.8 millimeters

Second Leg Corner Radius:

Between 5.0 millimeters and 7.0 millimeters

First Leg Slot Length:

12.0 millimeters

First Leg Slot Width:

9.0 millimeters

Second Leg Hole Diameter:

9.53 millimeters

Second Leg Distance Between Hole Centers Along Width:

30.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

9.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

11.0 millimeters

First Leg Thickness:

0.0747 inches

Second Leg Thickness:

0.0747 inches

Center Section Height:

Between 26.2 millimeters and 27.8 millimeters

Center Section Width:

Between 66.2 millimeters and 67.8 millimeters

Center Section Thickness:

0.0747 inches

First Leg Width:

Between 66.2 millimeters and 67.8 millimeters

First Leg Corner Radius:

Between 5.0 millimeters and 7.0 millimeters

First Leg Distance Between Hole Centers Along Width:

39.0 millimeters

First Leg Distance Between Hole Centers Along Length:

1.8 millimeters

First Leg Distance From Edge To Hole Center Along Width:

11.0 millimeters

NSN 5340-01-642-2784

Double Angle Bracket - Page 2 of 2



First Leg Distance From Edge To Hole Center Along Length:
15.9 millimeters
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
2 slots
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Product Name:
Bracket, support
Material:
Steel
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0