

View Online at <https://aerobasegroup.com/nsn/5340-01-643-4193>

Mounting Hole Type:

Plain

First Leg Length:

1.940 inches

Second Leg Length:

7.190 inches

End Application:

2320-01-534-2245

Second Leg Width:

3.000 inches

Second Leg End Width:

1.870 inches

First Leg Hole Diameter:

0.406 inches

Second Leg Hole Diameter:

1.060 inches

Second Leg Distance Between Hole Centers Along Width:

1.290 inches

Second Leg Distance Between Hole Centers Along Length:

1.060 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.840 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.1875 inches

Second Leg Thickness:

0.1875 inches

First Leg Width:

2.630 inches

First Leg Distance Between Hole Centers Along Width:

1.630 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.190 radians

Second Leg Chamfer Angle:

45.0 degrees

Product Name:

Bracket, gladhand, lh

Special Features:

Smaller hole on second leg is 0.312 inches (nom)

Material:

Steel

Material Specification:

Astm a36 assn standard single material response

Surface Treatment:

Paint

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0