

View Online at <https://aerobasegroup.com/nsn/5340-01-644-4820>

Mounting Hole Type:

Plain

First Leg Length:

1.25 inches

Second Leg Length:

1.25 inches

End Application:

5895-01-592-8791

Second Leg Width:

Between 16.99 inches and 17.01 inches

First Leg Hole Diameter:

Between 0.200 inches and 0.206 inches

Second Leg Hole Diameter:

Between 0.265 inches and 0.272 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

Between 7.245 inches and 7.255 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

Between 7.245 inches and 7.255 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 1.24 inches and 1.26 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.5 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

Between 16.99 inches and 17.01 inches

First Leg Distance Between Hole Centers Along Width:

Between 10.870 inches and 10.880 inches

First Leg Distance Between First And Second Hole Centers Along Width:

Between 3.620 inches and 3.630 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

Between 3.620 inches and 3.630 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 1.24 inches and 1.26 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.74 inches and 0.76 inches

First Leg Style:

Square

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Hole Quantity:

8

Second Leg Relationship To First Leg:

Not identical

Product Name:

Angle, equipment drawer

Special Features:

First leg has (5) through holes along the length.

Material:

Aluminum alloy 6063

Material Specification:

Astm b221 assn standard single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-dtl-5541, type 1, class 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-dtl-5541 spec.