

View Online at <https://aerobasegroup.com/nsn/5340-01-644-6062>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.00 inches

**Second Leg Length:**

1.00 inches

**End Application:**

5895-01-592-8791

**Second Leg Width:**

8.33 inches

**First Leg Hole Diameter:**

Between 0.128 inches and 0.134 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

Between 10.08 inches and 10.10 inches

**First Leg Distance Between Hole Centers Along Width:**

Between 5.99 inches and 6.01 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

Between 1.99 inches and 2.01 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

Between 1.99 inches and 2.01 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 1.03 inches and 1.05 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.55 inches and 0.57 inches

**First Leg Style:**

Square

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

No hole

**Hole Quantity:**

5

**Second Leg Relationship To First Leg:**

Not identical

**Product Name:**

Frame, internal, long antenna panel no. 1 & 2

**Special Features:**

First leg has (5) through mounting holes. Color is seafoam green number 24533 per fed-std-595.

**Material:**

Aluminum alloy 6063

**Material Specification:**

Astm b221 assn standard single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-dtl-5541, type 1, class 3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-dtl-5541 spec.