

View Online at <https://aerobasegroup.com/nsn/5340-01-644-6083>

Mounting Hole Type:

Plain

First Leg Length:

Between 1.98 inches and 2.02 inches

Second Leg Length:

Between 2.98 inches and 3.02 inches

End Application:

5895-01-592-8791

Second Leg Width:

Between 11.98 inches and 12.02 inches

Second Leg Corner Radius:

1.00 inches

First Leg Hole Diameter:

Between 0.343 inches and 0.350 inches

Second Leg Hole Diameter:

Between 0.999 inches and 1.010 inches

Second Leg Distance Between Hole Centers Along Width:

Between 9.98 inches and 10.02 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.98 inches and 1.02 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.98 inches and 1.02 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

Between 11.98 inches and 12.02 inches

First Leg Corner Radius:

0.50 inches

First Leg Distance Between First And Second Hole Centers Along Width:

Between 5.240 inches and 5.260 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

5.250 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.73 inches and 0.77 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.48 inches and 0.52 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Hole Quantity:

5

Second Leg Relationship To First Leg:

Not identical

Product Name:

Foot, antenna coupler

Special Features:

Color is green number 24533 per fed-std-595.

Heat Treatment:

H-32 strain hardened

Material:

Aluminum alloy 5052

Material Specification:

Astm b209 assn standard single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-dtl-5541, type 1, class 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-dtl-5541 spec.