NSN 5340-01-645-2552

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-645-2552

| view Offiline at https://aerobasegroup.com/hsh/ss40-01-045-2552 |
|---|
| Mounting Hole Type: |
| Plain |
| Second Leg Length: |
| Between 1.720 inches and 1.780 inches |
| End Application: |
| 2350-01-577-0830 |
| Second Leg Width: |
| Between 5.970 inches and 6.030 inches |
| Second Leg Hole Diameter: |
| Between 0.470 inches and 0.530 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| Between 3.970 inches and 4.030 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| Between 0.970 inches and 1.030 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| Between 0.470 inches and 0.530 inches |
| First Leg Thickness: |
| 0.250 inches |
| Second Leg Thickness: |
| 0.250 inches |
| Center Section Thickness: |
| 0.250 inches |
| First Leg Hole Arrangement Style: |
| No hole |
| Second Leg Style: |
| Square |
| Second Leg Hole Arrangement Style: |
| Two holes |
| Hole Quantity: |
| 2 |
| Second Leg Relationship To First Leg: |
| Not identical |
| Product Name: |
| Support, right hand |
| Special Features: |
| $Protective\ finish\ per\ 19207-12577737\ paragraph\ 2.4.\ Color\ is\ tan\ 686a,\ chip\ number\ 33446\ per\ fed-std-595.$ |
| Heat Treatment: |
| H-32 strain hardened |
| Material: |
| Aluminum alloy 5052 |
| Material Specification: |

Astm b209 assn standard single material response or ams 4016 assn standard single material response

NSN 5340-01-645-2552

Double Angle Bracket - Page 2 of 2



| _ | | | | | |
|---|---|------------|---|----|----|
| • | n | 0 1 | • | 12 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0