## NSN 5342-00-401-5949

Weapon System Resilient Mount - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5342-00-401-5949

| view Offilite at https://aerobasegroup.com/hist//3542-00-401-5545                |
|--|
| Nonmetallic Hardness Rating:   |
| 35.0 durometer and 45.0 durometer  |
| Flange Thickness:  |
| 0.070 inches   |
| Thread Size:   |
| 8-32unc-3b all threaded portions   |
| Distance Between Mounting Hole Centers:  |
| 1.500 inches   |
| Flange Length:   |
| 1.870 inches   |
| Flange Width:  |
| 1.000 inches   |
| Maximum Load Rating:   |
| 150.0 pounds   |
| Flange Mounting Hole Diameter:   |
| Between 0.098 inches and 0.103 inches  |
| Height:  |
| 0.700 inches   |
| Material:  |
| Steel comp 303 insert  |
| Material Specification:  |
| Qq-a-200/8, alloy 6061 federal specification single material response base plate |
| Surface Treatment:   |
| Passivate insert   |
| Surface Treatment Specification:   |
| Mil-s-5002 federal specification single treatment response insert                |
| Style Designator:  |
| Round int. Threaded bushing two-hole flange                                      |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A535s0   |
| Mil-std (military Standard):   |
| Mil-c-5541 spec.   |
|  |