NSN 5355-00-235-0609

Control Dial - Page 1 of 2



| view Online at https://aerobasegroup.com/nsn/5355-00-235-0009 |
|---|
| Unable To Decode: |
| Unable to decode and unable to decode |
| Counterbore Diameter: |
| Between 0.617 inches and 0.633 inches |
| Counterbore Depth: |
| Between 0.117 inches and 0.133 inches |
| Setscrew Hole Quantity: |
| 1 |
| Distance From Hole Center To Knob/skirt Base: |
| Between 0.367 inches and 0.383 inches |
| Overall Depth: |
| Between 0.742 inches and 0.758 inches |
| Shaft Accommodation Style (non-core): |
| Err-090 |
| Outside Diameter: |
| 1.938 inches |
| Attachment Method: |
| Setscrews |
| Knob Portion Diameter: |
| Between 1.211 inches and 1.227 inches |
| Scale Direction And Range: |
| 0 to 100 clockwise single scale |
| Scale Division Quantity: |
| 100 single scale |
| Drive Type: |
| Direct |
| Scale Type: |
| Linear single scale |
| Screw Drive Type: |
| Slot |
| Thready Qty Per Inch (tpi): |
| 32 screw hole |
| Thread Size: |
| 0.164 inches screw hole |
| Positioning Mechanism Type: |
| Knob |
| Special Features: |
| Knob material: plastic; setscrew material: steel; setscrew surface treatment: cadmium |
| Height: |
| 0.938 inches |
| Style Designator: |

Round w/knob

NSN 5355-00-235-0609

Control Dial - Page 2 of 2



| Thread Series Designate | or: |
|-------------------------|-----|
|-------------------------|-----|

Unc screw hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530p0