## NSN 5355-00-813-9088

Control Dial - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5355-00-813-9088

## Counterbore Diameter:

Between 0.400 inches and 0.500 inches

## Counterbore Depth:

Between 0.140 inches and 0.200 inches

## Setscrew Hole Quantity:

2

## Distance From Hole Center To Knob/skirt Base:

0.380 inches

### **Overall Depth:**

0.750 inches

## Shaft Accommodation Style (non-core):

Err-090

### **Outside Diameter:**

2.000 inches

### **Attachment Method:**

Setscrews

## Drive Type:

Direct

## Screw Drive Type:

Hexagon socket

## Thready Qty Per Inch (tpi):

32 screw hole

## Thread Size:

0.138 inches screw hole

## Positioning Mechanism Type:

Knob

## **Special Features:**

Reference markings-conference 2 1, asw group, flt crew and all; knob portion bar shape 1.120 in. Long, 0.620 in. W

### Height:

0.880 inches

### Material:

Plastic

### Style Designator:

Round w/knob

### **Thread Series Designator:**

Unc screw hole

Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

# NSN 5355-00-813-9088

Control Dial - Page 2 of 2

**Fiig:** A530p0

