NSN 5355-01-036-6696

Control Dial - Page 1 of 2



| y age relations | |
|---------------------------------------------------------------|--|
| View Online at https://aerobasegroup.com/nsn/5355-01-036-6696 | |
| Unable To Decode: | |
| Unable to decode and unable to decode | |
| Setscrew Hole Quantity: | |
| 2 | |
| Distance From Hole Center To Knob/skirt Base: | |
| 0.580 inches | |
| Overall Depth: | |
| 0.625 inches | |
| Shaft Accommodation Style (non-core): | |
| Err-090 | |
| Outside Diameter: | |
| 2.000 inches | |
| Attachment Method: | |
| Setscrews | |
| Knob Portion Diameter: | |
| 1.000 inches | |
| Scale Direction And Range: | |
| 20 to 1 clockwise single scale | |
| Scale Division Quantity: | |
| 47 single scale | |
| Drive Type: | |
| Direct | |
| Scale Type: | |
| Linear single scale | |
| Screw Drive Type: | |
| Hexagon socket | |
| Thready Qty Per Inch (tpi): | |
| 40 screw hole | |
| Thread Size: | |
| 0.112 inches screw hole | |
| Positioning Mechanism Type: | |
| Knob | |
| Special Features: | |
| | |

Top of knob marked-push to turn

Height:

1.070 inches

Material:

Aluminum alloy

Material Specification:

Err-070

Surface Treatment:

Anodize

NSN 5355-01-036-6696Control Dial - Page 2 of 2



| Surface Treatment Specification |
|---------------------------------|
| Err-070 |
| Style Designator: |
| Round w/knob |
| Thread Series Designator: |
| Unc screw hole |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A530p0