## NSN 5355-01-549-5124

Knob - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5355-01-549-5124

## **Inside Diameter:**

Between 0.252 inches and 0.254 inches

## **Setscrew Hole Quantity:**

2

## Distance From Hole Center To Knob/skirt Base:

0.187 inches

## **Gripping Surface Condition:**

Grip aid

## Shaft Accommodation Style:

Flatted one side

**Outside Diameter:** 

Between 0.690 inches and 0.730 inches

#### Attachment Method:

Setscrews

Inside Width:

Between 0.222 inches and 0.227 inches

#### **Overall Thickness:**

Between 0.500 inches and 0.520 inches

#### **End Application:**

Cv-22

## Material Transparency:

Opaque

#### Screw Drive Type:

Hexagon socket

## Thready Qty Per Inch (tpi):

40 setscrew

#### **Thread Size:**

0.112 inches setscrew

## Product Name:

Knob, control

## **Special Features:**

Nha is p/n 8531128-920 (nsn 1680-01-536-6053); knob is used on electronic control panel (flight director panel); there are 10 to 15 ribs per inch; knob has brass insert; material is per astm astm d3935

Color:

## Black

Material:

Plastic polycarbonate

#### Style Designator:

Round fluted

#### **Thread Series Designator:**

Unc setscrew

## Shelf Life:

N/a

# NSN 5355-01-549-5124

Knob - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A530m0

