## NSN 5365-00-001-8375

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-001-8375

Thread Direction:

Right-hand
Countersink Angle In Deg:
45.0
Counterbore Diameter:
0.897 inches
Counterbore Depth:
0.100 inches
Overall Length:
1.850 inches
Thickness:
0.300 inches
Wrenching Facility Shape:
Hexagon
Countersink Depth:
0.120 inches
Screw Thread Length:
0.660 inches
Width Across Flats:
1.500 inches
Counterbore Location:
Wrenching end
Countersink Location:
Threaded end
Hole Inside Diameter:
Between 0.750 inches and 0.751 inches
Features Provided:
Counterbore and countersunk
Thready Qty Per Inch (tpi):
16
Thread Size:
1.6875 inches
Special Features:
3 internal grooves, 1.010 in. Dia, 1st gro 0.104 in. W, 2nd 0.219 in. W, 3rd 0.309 in. W.
Material:
Aluminum alloy 7075
Material Specification:
Qq-a-225/9 federal specification single material response
Surface Treatment:
Anodize

**Surface Treatment Specification:** 

Mil-a-8625 military specification single treatment response

## NSN 5365-00-001-8375

Machine Thread Bushing - Page 2 of 2



Un
Fsc Application Data:
Rod end, nlg actuator, f-5e
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A540s0

Mil-std (military Standard):

Mil-a-8625 spec.

**Thread Series Designator:**